

STANDARD HARNESS: DOUBLE LEG LANYARD WITH SCAFFOLDING HOOKS
HARD01220

ONE SIZE FITS ALL
STANDARDS:
SANS 50354 | EN 354 • SANS 50355 | EN 355
SANS 50361 | EN 361 • EN 362

FEATURES:
• Adjustable leg & chest straps
• Shock absorbing lanyard

MATERIALS:
Harness Webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard Webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard length: 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

Hooks: Corrosion-resistant steel scaffolding hooks with 50mm gate opening



AVAILABLE WITH STANDING STEP: HARN01260

AGILIS HARNESS
HARN40000

SIZING: S | M | L | XL
STANDARDS:
SANS 50361 | EN 361 • SANS 50358 | EN 358

FEATURES:
• 4 attachment points: Chest & dorsal D-ring with work positioning D-rings
• Adjustable leg, waist, shoulder & chest straps
• Padded waist
• Standing step

MATERIALS:
Harness Webbing: 45mm UV-Resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: 5mm laminated foam to spread pressure over a larger area

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN



ARC HARNESS
HARN70000

SIZING: S | M | L | XL
STANDARDS:
SANS 50358 | EN 358 • SANS 50361 | EN 361
ASDM F887-13 | ATPV 40Cal/cm²

FEATURES:
• 4 Aluminium attachment points: Chest & dorsal D-ring with work positioning D-rings
• Adjustable Aluminium quick-release buckles on the leg, waist and abdominal area with adjustable Aluminium buckles on the shoulder and back straps
• Padding in the leg, waist, & shoulder areas
• All attachment points, adjustments & padding are covered in full grain leather

MATERIALS:
Harness Webbing: Fire retardant & ARC flash rated, 45mm Para-aramid/Meta-aramid blended webbing

Padding: 5mm laminated foam encased in full grain leather

Buckles: Aluminium corrosion-resistant quick-release buckles with a minimum breaking force of 18kN

D-Ring: Corrosion-resistant Aluminium D-rings with a min. breaking strength of 22kN



GORDIAN HARNESS
HARN50000

SIZING: S | M | L | XL
STANDARDS:
SANS 50361 | EN 361 • SANS 50358 | EN 358
SANS 50813 | EN 813

FEATURES:
• 5 attachment points: Front waist, chest & dorsal D-ring with work positioning D-rings & Gear loops
• Adjustable leg, waist, shoulder & back straps
• Padding in the leg & waist areas

MATERIALS:
Harness Webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: 5mm laminated foam to spread pressure over a larger area

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

Front Connector: Steel screw gate carabiner with a minimum breaking strength of 25kN



SPARK HARNESS
HARN60000

SIZING: S | M | L | XL
STANDARDS:
SANS 50361 | EN 361 • SANS 50358 | EN 358

FEATURES:
• 4 attachment points: Chest & dorsal D-ring with work positioning D-rings
• Adjustable leg, waist, shoulder & chest straps
• Padded waist
• Standing step

MATERIALS:
Harness Webbing: 45mm UV-Resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: 5mm laminated foam to spread pressure over a larger area

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN



LANYARDS

Double Leg Lanyard
LANY01220



SIZING: 1750mm
STANDARDS:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362

FEATURES:
Double leg with scaff hooks
Single leg with snap hook
Shock absorber

Adjustable Double Leg Lanyard
LANY01420



SIZING: 1750mm
STANDARDS:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362

FEATURES:
Adjustable double leg with scaff hooks
Single leg with screw gate carabiner
Shock absorber

Elasticated Double Leg Lanyard
LANY01620



SIZING: 1750mm
STANDARDS:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362

FEATURES:
Elasticated single leg with scaff hook
Single leg with snap hook
Shock absorber

THE ORIGINAL TRAX IS BACK!

We heard you! You've asked for it and now its back. Re-introducing the Original Trax Range by popular demand! The original and loved Trax collection is back. Designed with the rugged outdoors in mind, the Trax range boasts a wide-fitting, chunky and durable sole unit that can handle the toughest terrains while providing the all-day superior comfort that earned Trax its following.



MUNICH 20002



| Size | Colour | Accreditations |
|------|--------|--------------------------------------|
| 5-13 | Black | SANS/ISO 20345 NRCS/9002/287766/0161 |

TOE CAP: Steel - Extra-wide Fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available (20702)



BREMEN 20001



| Size | Colour | Accreditations |
|------|--------|--------------------------------------|
| 5-13 | Black | SANS/ISO 20345 NRCS/9002/287766/0162 |

TOE CAP: Steel - Extra-wide Fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available (20701)



HIKER 20013



| Size | Colour | Accreditations |
|------|----------------------|--------------------------------------|
| 3-13 | Black & Walnut (MTO) | SANS/ISO 20345 NRCS/9002/287766/0146 |

TOE CAP: Steel - Extra-wide Fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: Shank reinforcement for arch support

EXTREMEWEAR

PU/RUBBER

FIREWALK B-42003

Anti-shock Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232)

NON CONDUCTIVE

Sizes: 4-13
Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Non-conductive

SANS / ISO 20345 NRCS/9002/287766/0134
APT MIDSOLE AVAILABLE (44603 - NRCS9002/287766/0454)

EXTREMEWEAR

PU/RUBBER

ROCNA B-43601

Extreme Slip Safety Shoe



SABS APPROVED **Ultrafresh** **BOVA TOX**

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232)

Vibram **ERGONOMIC DESIGN APPROVED BY A PODIATRIST**

NON CONDUCTIVE SRC SLIP RESISTANCE RATING

Sizes: 4-13
Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

EXTREMEWEAR

PU/RUBBER

NEBULA B-43603

Extreme Slip Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232)

Vibram **ERGONOMIC DESIGN APPROVED BY A PODIATRIST**

NON CONDUCTIVE SRC SLIP RESISTANCE RATING

Sizes: 4-13
Colour: Brown

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0487

EXTREMEWEAR

PU/RUBBER

WELDERS B-42004

Welders Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

NON CONDUCTIVE WITH SPAT COVERING

Sizes: 4-13
Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Spat covering with stainless steel buckles
- Non-conductive

SANS / ISO 20345 NRCS/9002/287766/0135

EXTREMEWEAR

PU/RUBBER

DROGUE B-43602

Extreme Slip Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232)

Vibram **ERGONOMIC DESIGN APPROVED BY A PODIATRIST**

NON CONDUCTIVE SRC SLIP RESISTANCE RATING

Sizes: 4-13
Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0437

EXTREMEWEAR

RUBBER/RUBBER

BASALT B-7142

Safety Boot



Ultrafresh **ERGONOMIC DESIGN APPROVED BY A PODIATRIST**

SRC SLIP RESISTANCE RATING 100% WATERPROOF RESISTANT SOLE 300°C DIRECT & RADIANT HEAT RESISTANCE

Sizes: 4-14
Colour: Black

- Dual Compound Rubber/ Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Elastic side gussets for ease of entering and exiting the boot
- Anti-static

SANS / ISO 20345 NRCS/9002/287766/0448

HEAVYWEAR

CORE RANGE

RADICAL B-60001

Durable Safety Shoe



SABS APPROVED **Ultrafresh** **BOVA TOX**

ANTI-STATIC

Sizes: 4-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0165

HEAVYWEAR

CORE RANGE

NEOGRIP B-90005

Durable Safety Shoe



SABS APPROVED **Ultrafresh** **BOVA TOX**

ANTI-STATIC

Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0117
SMS AVAILABLE (90705 - NRCS/9002/287766/0434)

HEAVYWEAR

CORE RANGE

TRAINER B-60012

Durable Safety Shoe



SABS APPROVED **Ultrafresh** **BOVA TOX**

ANTI-STATIC

Sizes: 4-12
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

SANS / ISO 20345 NRCS/9002/287766/0169

HEAVYWEAR

CORE RANGE

MAVERICK B-60002

Durable Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

ANTI-STATIC

Sizes: 4-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0171
SMS AVAILABLE (60702 - NRCS/9002/287766/0290)

HEAVYWEAR

CORE RANGE

NEOFLEX B-90004

Durable Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

ANTI-STATIC

Sizes: 3-15
Colour: Black & Tan

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0055
SMS AVAILABLE (90704 - NRCS/9002/287766/0433)

HEAVYWEAR

CORE RANGE

CHELSEA B-90006

Durable Safety Boot



SABS APPROVED **Ultrafresh** **BOVA TOX**

ANTI-STATIC

Sizes: 3-13
Colour: Black & Brown

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0170

HEAVYWEAR

CORE RANGE

HAMBURG B-90008

Durable Safety Shoe



Sizes: 4-12
Colour: Grey

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Suede Leather upper
- Anti-static

SANS / ISO 20345 NRCS/9002/287766/0116

LIGHTWEAR

UTILITY RANGE

MULTI B-71441

Utility Safety Shoe



Sizes: 5-13
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper

SANS / ISO 20345 NRCS/9002/287766/0120

HEAVYWEAR

AKTIV RANGE

ATLANTIS B-30006

Metal-free Safety Shoe with Comfort Engineering



Sizes: 5-12
Colour: Black

- Dual Density PU/PU sole
- Anti-static
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0428

LIGHTWEAR

EXECUTIVE RANGE

JARMAN B-70003

Executive Safety Shoe



Sizes: 5-12
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 SANS / ISO NRCS/9002/287766/0409

LIGHTWEAR

UTILITY RANGE

ADAPT B-71442

Utility Safety Boot



Sizes: 5-13
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper

SANS / ISO 20345 NRCS/9002/287766/0119

HEAVYWEAR

AKTIV RANGE

COLUMBIA B-30005

Metal-free Safety Boot with Comfort Engineering



Sizes: 5-12
Colour: Black

- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0288

HEAVYWEAR

TRAX RANGE

TAHOE 21021

Advanced Comfort Safety Shoe



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0432

HEAVYWEAR

TRAX RANGE

BREMEN 2.0 B-21001

Advanced Comfort Safety Shoe



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0446
SMS AVAILABLE (21701 - NRCS/9002/287766/0449)

HEAVYWEAR

TRAX RANGE

HIKER 2.0 21013

Advanced Comfort Safety Boot



Sizes: 5-13
Colour: Black and Brown

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0390

HEAVYWEAR

TRAX RANGE

MUNICH 2.0 B-21002

Advanced Comfort Safety Boot



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0447
SMS AVAILABLE (21702 - NRCS/9002/287766/0450)

ACCESSORIES



BOVA SAFETY WEAR
BOVA SOX FOR MEN

- Anti-bacterial
 - Anti-static
 - Available to purchase separately
 - Included with footwear where the FREE BOVA SOX logo is shown
- ACC13477



BOVA SAFETY WEAR
BOVA FREEZER SOX FOR MEN

- Anti-bacterial
 - Anti-static
 - Available to purchase separately
- ACC13480



BOVA SAFETY WEAR
SMELTERS SOX FOR MEN

- Wool sock
 - Anti-bacterial
 - Flame retardant
 - Moisture wicking
 - Recommended for high heat conditions
- ACC13672



FOOTOLOGY SAFETY WEAR
FOOTOLOGY SOX UNISEX ANKLET

- Anti-bacterial
 - Anti-static
 - Sizing : 4-8, 9-12
- ACC13567

**PROVEN
PERFORMANCE
IN THE FIELD.**



**HAWK STC
8024**



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK/GREY
SIZES: 5-12
SANS/ISO 20345



**EAGLE STC
8025**



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK/GREY
SIZES: 5-12
SANS/ISO 20345



**OSPREY HIKER
STC
8038**



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 5-12
SANS/ISO 20345



**MAXECO SMS
8011**



SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
MIDSOLE: STEEL
COLOUR: BLACK
SIZES: 5-12
SANS/ISO 20345



**MAXECO
8031**



SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 2-13
SANS/ISO 20345



**MAXECO
METAGUARD
8061**



SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP
COLOUR: BLACK
SIZES: 3-12
SANS/ISO 20345



**ROBUST
8102**



SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 3-12
SANS/ISO 20345



**ZEUS
8115**



SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR BROWN
SIZES: 3-13
SANS/ISO 20345

ZEUS SOFT TOE
STYLE NO: 8114



**EROS
8088**



SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12
SANS/ISO 20345



**TURTLE
8132**



SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12
SANS/ISO 20345



**FROM ONE WORKER
TO ANOTHER**

**SOURCED AND MANUFACTURED
IN SOUTH AFRICA**

CLOG 8009



SOLE: APOLLO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 2-12
SANS/ISO 20345



SPORT 8050



SOLE: APOLLO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 2-12
SANS/ISO 20345



TITANIUM 4033



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 4 - 13
SANS/ISO 20345

TITANIUM STC
STYLE NO: 4003
COLOUR: BLACK OR BROWN
SIZES: 4-13



NOMAD 8001



SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12
SANS/ISO 20345



QUEST 8002



SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12



CONCORD SHOE 8020



SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BROWN
SIZES: 5-12
SANS/ISO 20345



A SAFETY WEAR RANGE THAT IS COMFORTABLE, HIGH QUALITY AND MADE FOR WOMEN



Sydney / 51005

Full grain leather | PU Sole | Size: 3-8

Comfort, movement and quality products. Women in the agricultural industry are exposed to a lot of movement, bending and lifting while working. SiSi products are specifically designed for women, making sure that female workers are protected and comfortable at all times.

Quality features:

- Full Grain leather
- Footwear shaped for women
- Padded footwear for enhanced comfort.



SINGLE DENSITY RANGE Sisi

VENICE S-51002



Sizes: 3-8
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE Sisi

PARIS S-51003



Sizes: 3-8
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper with elastic side gussets
- Anti-static

DOUBLE DENSITY RANGE Sisi

JENNIFER S-55005



Sizes: 3-8
Colour: Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE Sisi

REESE S-55006



Sizes: 3-8
Colour: Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE Sisi

SYDNEY S-51005



Sizes: 3-8
Colour: Brown

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper with pull straps
- Anti-static

SINGLE DENSITY RANGE Sisi

SYDNEY S-51005



Sizes: 3-8
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper with pull straps
- Anti-static

DOUBLE DENSITY RANGE Sisi

NICOLE S-54001



Sizes: 2-9
Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE Sisi

CATE S-54002



Sizes: 2-9
Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE Sisi

BASI S-54092



Sizes: 2-9
Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

Please contact our knowledgeable staff on **011-363-3363** for more details on any of our products or email us orders@Cattells.co.za

SINGLE DENSITY RANGE Sisi

COURT S-53001



Sizes: 2-9
Colour: Black

- Single Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE Sisi

OPAL S-53003



Sizes: 2-9
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static



CHELSEA FR-10006

Features:
Size Range: 4 - 12
Colour: Black
Sole: Single Density PU sole
Heat Resistance: Up to 95° Celsius
Upper: Genuine Leather - Haircell
Accreditation: EN/ISO 20345



ECONO-TUFF FR-4555

Features:
Size Range: 4 - 13
Colour: Black
Sole: PU Sole
Heat Resistance: Up to 95° Celsius
Upper: Genuine Leather - Barton Print
Accreditation: EN/ISO 20345



PUMBA FR-8401

Features:
Size Range: 3 - 12
Colour: Black
Sole: Generic PU Dual Density Sole
Heat Resistance: Up to 95° Celsius
Upper: Genuine Leather- Barton Print
Tongue: Full Bellow's Tongue
Accreditation: EN 20345



ADDO FR-8402

Features:
Size Range: 3 - 12
Colour: Black
Sole: Generic PU Dual Density Sole
Heat Resistance: Up to 95° Celsius
Upper: Genuine Leather- Barton Print
Tongue: Full Bellow's Tongue
Accreditation: EN 20345




GEO-TREAD FR-2911

Features:
Size Range: 4 - 12
Colour: Black
Sole: Frams Level 2 PU Dual Density Sole
Heat Resistance: Up to 95° Celsius
Upper: Genuine Leather - Barton Print
Tongue: Gibson Style
Accreditation: SANS/ISO 20345



GEO-TREK FR-4911

Features:
Size Range: 4 - 13
Colour: Black
Sole: Frams Level 2 PU Dual Density Sole
Heat Resistance: Up to 95° Celsius
Upper: Genuine Leather - Barton Print
Tongue: Full Bellow's Tongue
Accreditation: SANS/ISO 20345



PROFIT

SAFETY FOOTWEAR

For Africa's Workforce



SCARLET P-LS01

BLACK LADIES SAFETY BOOT with lightweight, SRC non-slip sole

Size 2-9 Ladies



CHARLOTTE P-LS02

BLACK LADIES SAFETY SHOE with lightweight, SRC non-slip sole

Size 2-9 Ladies



* All styles are Steel Toe Cap



BLACK GOLIATH 2 P-JS04-2

HIGH BLACK HIKER BOOT with extra Ankle protection and speed lacing

Size 5-13 Unisex



ALL WHEEL DRIVE P-AS01

BLACK SAFETY SNEAKER with Scuff Resistant Leather Upper

Size 2-15 Unisex



SILK P-LS05

LIGHTWEIGHT LADIES SLIP ON SAFETY SHOE with lightweight, SRC super non-slip sole

Size 2-9 Ladies



SUN P-LS07

LIGHTWEIGHT LADIES SLIP ON CHELSEA with lightweight, SRC super non-slip sole

Size 2-9 Ladies



ASSASSIN P-JS06

BROWN CHELSEA BOOT Slip on with Oily Waxy Leather

Size 2-15 Unisex



BAGHEERA P-JS07

BLACK CHELSEA BOOT Slip on with Oily Waxy Leather

Size 2-15 Unisex



PARSON P-JS01 S1 ***NEW**

BLACK SAFETY BOOT with Steel Midsole or Non Metallic Toe Cap and Midsole

Size 2-15 Unisex



LYNX P-JS02

BLACK SAFETY SHOE with penetration resistant Steel Midsole

Size 2-15 Unisex



FLAME P-JS10

ARC FLASH RESISTANT SAFETY BOOT with anti-puncture material midsole & 300^{deg} heat resistant sole

Size 5-15 Mens



TERRAPIN P-MR02

METAGUARD CHELSEA BOOT with anti-puncture material midsole & 300^{deg} heat resistant sole

Size 5-15 Mens



HOBO P-JS03 BOOT

BLACK ECONO SAFETY BOOT with Genuine Leather and Dual Density PU

Size 2-15 Unisex



HOBO P-JS03 SHOE

BLACK ECONO SAFETY SHOE with Genuine Leather and Dual Density PU

Size 2-15 Unisex



GOLIATH P-JS04

BLACK HIKER BOOT with super flexible sole and easy lacing

Size 2-15 Unisex



TARANTULA P-JS05 BOOT

BLACK WEATHERPROOF BOOT with 300^{deg} heat resistant sole

Size 2-15 Unisex



AFRICA'S HARDEST WORKING BOOTS

www.rebelsafetygear.com



CODE R-128B | SIZES 3-14
KONTRAKTA BOOT
Affordable work boot



SB

Features

200J steel toe cap



CODE R-128S | SIZES 3-13
KONTRAKTA SHOE
Affordable work shoe



SB

Features

200J steel toe cap



CODE R-FX2 S1P | SIZES 2-14
FX2-S1P BOOT
General purpose work boot



S1P

Features

Steel midsole for anti-penetration



CODE R-FX2 Shoe | SIZES 2-13
FX2-SHOE
General purpose work shoe



S1P

Features

Unisex – starts from a size 2



CODE RE436BK | SIZES 3-13
APEX BOOT
Non-metallic heat resistant S3 boot



S3

Features

Heat resistant up to 300°C | S3 water resistant leather and anti-penetration protection, while also non-metallic



CODE RE22107 | SIZES 2-8
LADIES RUGGED BOOT
Ladies S3 Rugged non-metallic boot



S3

Features

Water resistant | Non-Metallic high-density mesh for anti-penetration | Heat resistant up to 300°C



CODE R-FX2 | SIZES 3-13
CHELSEA BOOT
Chelsea work boot with anti-penetration



S1P Available in brown

Features

Steel midsole for anti-penetration



CODE R-811 | SIZES 2-16
CHUKKA BOOT
The iconic work boot



S1 Available in brown

Features

Hi-viz reflective strip | Thermoplastic polyurethane (TPU) toe bumper for added scuff protection



CODE R-911 | SIZES 3-15
HAWK
Close quarter combat work boot

S3

Features

Heavy duty canvas has water resistant coating which allows breathability and quick drying | Quick release concealed YKK side zip | Steel midsole for anti-penetration



CODE R-5072 | SIZES 4-14
THERMOTRAK
Heat resistant work boot

S1

Features

Outsole is heat resistant up to 300° | Built-in metatarsal spat to protect against splashes and welding sparks



SMALL (2-5)
MEDIUM (6-9)
LARGE (10-13+)



CODE R-VOS | SIZES 2-13+
OVERSHOE
Unisex safety visitor overshoe

Features

Velcro adjustable strap and lightweight, unisex design | SRC anti-slip design, durable and flexible rubber sole



CODE REBFB-02 | SIZES 2-14
PLATINUM FOOTBED

Features

As for the standard footbed, plus extra comfort | Poron® insert is used worldwide for general orthopaedic problems



CODE R-941 | SIZES 2-8
LIGHT INDUSTRIAL
Lightweight and stylish safety shoe

S1

Features

EVA midsole | Outsole is heat resistant up to 120° | Electrostatic discharge (ESD)



CODE R-974 | SIZES 2-8
ZARI
Ladies safety shoe with Velcro strap

S1

Features

200J steel toe cap



SIZES 28-48
TECH GEAR TROUSERS
Ultra durable technical trousers

DESERT DUST, CODE R-TRDD
GUN METAL, CODE R-TRGM
RAVEN BLACK, CODE R-TRBK

Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets



CODE R-TGAB | SIZES 28-48
TECH GEAR TROUSER – AIR FORCE BLUE
Ultra durable technical trousers



Features

Flame retardant and acid resistant, making it ideal for applications like welding and acid environments | Seven custom utility pockets



CODE R-940 | SIZES 2-8
THULI
Ladies chelsea safety boot

S1

Features

Heat resistant up to 120°



CODE R-683 | SIZES 2-8
KITO
Ladies slip-on safety shoe

S1

Features

200J steel toe cap



SIZES 28-48
TECH GEAR SHORTS
Ultra durable technical trousers

DESERT DUST, CODE R-SHDD
GUN METAL, CODE R-SHGM

Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets

YOU NEED TO FOCUS.

LET THE PROPANE TAKE CARE OF THE REST.

[WORK PRODUCT]
SOUTH AFRICA



M-11 PROPANE 2.0 ST
BLACK OR BROWN FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER SOLE + SRX FOR EXTREME SLIP RESISTANCE
SIZES 6 - 12

M-03 ABBY ST LADIES
TAN WATERPROOF NUBUCK
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE
SIZES 3 - 8

M-04 MAE ST LADIES
WP FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE
SIZES 3 - 8

M-14 DIAGNOSTIC 2.0 ST
WP FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE
SIZES 6 - 12

M-17 CROSSRAIL 2.0 CT
FULL GRAIN LEATHER
• COMPOSITE TOE
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE
SIZES 6 - 12

M-18 FRAMEWORK ST
WP NUBUCK LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE
SIZES 6 - 12

M-19 PNEUMATIC 2.0 ST
WP FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE
SIZES 6 - 12

M-28 STRIVER BUMP ST
FULL GRAIN LEATHER
• STEEL TOE CAP
• DUAL DENSITY PU SOLE
SIZES 6 - 12

M-30 IMPACT HIKER WP
WP FULL GRAIN LEATHER
• CARBON COMPOSITE TOE
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE
SIZES 6 - 12

THE PROPANE

CATFOOTWEAR.CO.ZA



GUMBOOT SPECIALISTS FOR
80 YEARS
& COUNTING

BSF
SAFETY GROUP
YOUR TRUSTED PARTNER IN SAFETY



GUMBOOT SPECIALIST SINCE 1940



Egoli 1
W-1270
Sizes 3 - 14
Steel toe cap
Available In Non Steel
Toe Cap W-1260

Ankle Miner Lace Up
W-1860
Sizes 5 - 12
Steel toe cap

Gripper
W-1210
Sizes 3 - 12
Steel toe cap

For 80 years and counting, WAYNE has focused on what we do best - gumboots, and gumboots only - allowing us to become pioneers in our industry, delivering consistently excellent and innovatively designed gumboots that are manufactured from world-class materials and components.

WAYNE

www.wayne-safety.com



WAYNE

Duralight Ladies 1
W-1661
(Without STC)

Size range: 3 - 8
Upper: PVC
Sole: PVC
Colours: Black upper / Black sole

PVC



WAYNE

Egoli 1
W-1270
(STC)

Size range: 3 - 14
Upper: PVC uppers
Sole: PVC sole
Colours: Black / Toffee

CE

PVC



WAYNE

Men's Chelsea HD
W-1506
(STC)

Size range: 3 - 13
Upper: PVC upper
Sole: PVC / Nitrile sole
Colours: Black upper / Toffee sole

PVC



WAYNE

Duralight Men's 1
W-1040
(Without STC)

Size range: 5 - 12
Upper: PVC upper
Sole: PVC sole
Colours: Black upper / Black sole



Made with recycled material

PVC



WAYNE

Duralight Ladies 2
W-1681
(Without STC)

Size range: 3 - 8
Upper: PVC / Nitrile upper
Sole: PVC / Nitrile sole
Colours: White upper / Red sole

SABS APPROVED

PVC



WAYNE

Duralight Men's 2
W-1030
(Without STC)

Size range: 5 - 12
Upper: PVC / Nitrile upper
Sole: PVC / Nitrile sole
Colours: White upper / Red sole

SABS APPROVED

PVC