

REBEL

SAFETY GEAR



HEAD AND FACE PROTECTION

REBEL SAFETY GEAR

HEAD AND FACE PROTECTION

REBEL SAFETY GEAR

HP-HALO1000 HALO 1000 INDUSTRIAL HELMET





HP-HALO2000 HALO 2000 HYBRID INDUSTRIAL HELMET

Upgraded climbing helmet



HP-HALOVISOR HALO HELMET VISOR



AC-FSHIELD FACE SHIELD



AC-FGUARD FACE GUARD 100



AC-MSHIELD REBEL MOUTH SHIELD





EYE PROTECTION

REBEL SAFETY GEAR

EYE PROTECTION

REBEL SAFETY GEAR

EY-SPECSPCL OPTI GEAR SPORTY CLEAR SPECS



EY-SPECSPGY OPTI GEAR SPORTY GREY SPECS



EY-SPECSPCL-AF OPTI GEAR SPORTY CLEAR ANTI-FOG SPECS



EY-SPECEUGR OPTI GEAR EURO GREEN SPECS



EY-SPECEUCL OPTI GEAR EURO CLEAR SPECS



HE-EPREMDC EAR GEAR REUSABLE METAL DETECTABLE CORDED EARPLUGS



SNR 28dB

HE-EPREUC EAR GEAR REUSABLE CORDED EARPLUGS



SNR 28dB

HE-EMHM2028 EAR GEAR EARMUFFS W/ HELMET MOUNTING



SNR 28dB

HE-EPDISCO EAR GEAR DISPOSABLE CORDED EARPLUGS



SNR 33dB

HE-EPDISUN EAR GEAR DISPOSABLE UNCORDED EARPLUGS



SNR 33dB

HE-EPDISUN-B EAR GEAR DISPOSABLE UNCORDED EARPLUGS - BULK



SNR 33dB

HE-EMHB1031 EAR GEAR EARMUFFS W/ ADJUSTABLE HEADBAND



SNR 31dB

HEARING PROTECTION

REBEL SAFETY GEAR





RESPIRATORY PROTECTION

REBEL SAFETY GEAR

RESPIRATORY PROTECTION

REBEL SAFETY GEAR

RE-AMX5000-M AIRMAXX 5000 FULL MASK DOUBLE CARTRIDGE



RE-HALMADBL AIRMAXX REUSABLE HALF MASK DOUBLE CARTRIDGE



RE-GFILT-ABEK1 AIRMAXX GAS FILTER – ABEK1



RE-GFILT-LG-A1 AIRMAXX GAS FILTER – LARGE – A1



RE-GFILT-A1 AIRMAXX GAS FILTER – A1



RE-PARTFILT-P3-BF AIRMAXX PARTICULATE FILTER P3 – BAYONET FITMENT



RESPIRATORY PROTECTION

REBEL SAFETY GEAR

RE-PREFILT-P3 AIRMAXX PARTICLE PREFILTER P3



RE-FILTRET AIRMAXX PRE-FILTER RETAINER



RE-DISDU-FFP1 AIRMAXX DISPOSABLE FFP1 DUST MASK



RE-DISDU-FFP2 AIRMAXX DISPOSABLE FFP2 DUST MASK



RE-DISDU-FFP2V AIRMAXX DISPOSABLE FFP2V DUST MASK WITH VALVE



RE-DISDU-FFP2ACV AIRMAXX AMX2AV FFP2V DUST MASK WITH ACTIVE CARBON AND VALVE



RESPIRATORY PROTECTION

REBEL SAFETY GEAR





REBEL
SAFETY GEAR

GP101-N REBEL VERSA

4131X



NITRILE

Sizes S-2XL

GP105-N REBEL VERSA PLUS

4131X



NITRILE

Sizes S-2XL

GP120-N REBEL VERSA GRIP

4121X



NITRILE

Sizes S-2XL

GP111-L REBEL VERSA DURA

EN 388 (3141X) +
EN 407 (X2XXXX)



LATEX

Sizes S-XL

AQUA101-L REBEL AQUA

2131X



LATEX

Sizes S-2XL

THERM101-L REBEL THERMO

EN 388 (2131X) +
EN 511 (X1X)



LATEX

Sizes S-2XL

ENVIRO101-N REBEL ENVIRO

4121X



NITRILE

Sizes M-XL

DISP101-N REBEL GRIPX

EN 374-1/Type B (JKPT) + EN 374-5 (Virus)



NITRILE BUTADIENE RUBBER (NBR)

Sizes S-XL

IMPA101-N REBEL IMPACT

4X42DP



NITRILE

Sizes M-XL

CUT501-N REBEL CUT PRO

4X42E



NITRILE

Sizes S-2XL

CUT505-N REBEL CUT PRO PLUS

4X42E



NITRILE

Sizes S-XL

CHAIN101-S REBEL CHAIN MAIL



INTERLINKED 316 STAINLESS STEEL

Sizes S-XL

HAND PROTECTION

REBEL SAFETY GEAR

GL-NITRESMWR RED SMOOTH NITRILE COATED GENERAL HANDLING GLOVES



Sizes M-XL

GL-PUBKWR BLACK PU-COATED GENERAL HANDLING GLOVES



Sizes XS-XL

GL-NITBLSAWR BLUE SANDY NITRILE GLOVES



Sizes M-XL

GL-NITHISAWR HI-VIZ SANDY NITRILE GLOVES



Sizes M-XL

GL-NITHISAWRSGL HI-VIZ SANDY NITRILE SINGLE DIPPED GLOVES



Sizes M-XL

GL-NITFDSAWR BLACK FULL DIP SANDY NITRILE GLOVES



Sizes M-XL

GL-COTWRST COTTON LINER GLOVES



Sizes XL

GL-LATCOLDWR ORANGE SANDY LATEX COLD GLOVES



Sizes M-XL

GL-NITGRELST GREEN NITRILE CHEMICAL GLOVES

EN 388 (3101) +
EN 374-1 (JKL) +
EN 375-5



Sizes S-2XL

GL-PVCKWST RED PVC MEDIUM WEIGHT GLOVES WR LENGTH



Sizes 10

GL-LATGRKW GREEN LINED LATEX KNIT WRIST GLOVES



Sizes M-L

GL-CUT5WRPU CUT 5 PU GLOVES



Sizes S-2XL

GL-PVCKWHD RED PVC HEAVY-DUTY GLOVES WR LENGTH



Sizes 10

GL-PVCELST RED PVC MEDIUM WEIGHT GLOVES ELB LENGTH



Sizes 10

GL-CUT5WRNI CUT 5 NITRILE GLOVES



Sizes S-XL

GL-RUBHOUY YELLOW RUBBER HOUSEHOLD GLOVES



Sizes S-XL

GL-NITBLHDWR BLUE NITRILE HEAVY-DUTY GLOVES



Sizes 10

GL-RUBCOMKWST YELLOW COMAREX KNIT WR STD GLOVES



Sizes 10

GL-RUBCOMKWSU YELLOW COMAREX KNIT WR SUP GLOVES



Sizes 10

GL-COTCRAKWST CRAYFISH STD KNIT WR GLOVES



Sizes 10

GL-COTCRAKWSU CRAYFISH SUP KNIT WR GLOVES



Sizes 10

GL-IMPWR-L IMPACT-RESISTANT HI-VIZ GLOVES



Sizes 9

GL-NITBLDISWRST BLUE NITRILE DISPOSABLE EXAMINATION GLOVES

EN 374-1/Type C (KP) + EN 374-5 (Virus)



Sizes S-XL

GL-NITBLKEXWRST BLACK NITRILE DISPOSABLE EXAMINATION GLOVES

EN 374-1/Type C (KP) + EN 374-5 (Virus)



Sizes S-XL

HAND PROTECTION

REBEL SAFETY GEAR

EN 388 markings and performance guide:

	PERFORMANCE LEVEL	0	1	2	3	4	5
A	Abrasion resistance (cycles)	<100	100+	500+	2000+	8000+	N/A
C	Cut resistance (coupe test - index)	<1.2	1.2+	2.5+	5.0+	10.0+	20.0+
T	Tear resistance (newtons)	<10	10+	25+	50+	75+	N/A
P	Puncture resistance (newtons)	<20	20+	60+	100+	150+	N/A





HAND PROTECTION

GL-CHRWR CHROME LEATHER GLOVES WR LENGTH



Sizes XL

GL-CHREL CHROME LEATHER GLOVES ELB LENGTH



Sizes XL

GL-CHRCAWRST CHROME LEATHER CANDY STD GLOVES



Sizes XL

GL-CHRCAWRSU CHROME LEATHER YELLOW CANDY SUP GLOVES



Sizes XL

GL-GOAWRSU GOAT SKIN VIP DRIVER GLOVES



Sizes L-2XL

GL-TIGWR TIG FULL GRAIN LEATHER GLOVES



Sizes XL-2XL

LEATHER PRODUCTS

REBEL SAFETY GEAR

GL-WELGRWRST GREEN LINED WELDERS GLOVES WR LENGTH



Sizes XL

GL-WELGRELST-35 GREEN LINED WELDERS GLOVES ELB LENGTH



Sizes XL

GL-WELGRELST-40 GREEN LINED WELDERS GLOVES ELB LENGTH



Sizes XL

GL-WELTIGYEEL YELLOW SPLIT/GRAIN LEATHER TIG WELDERS GLOVES



Sizes XL

GL-SPYEWR YELLOW SPLIT LEATHER GLOVES



Sizes XL

GL-WELYEWRSU YELLOW LINED WELDERS SUP WR LENGTH GLOVES



Sizes XL

GL-WELYEELSU YELLOW LINED WELDERS SUP ELB LENGTH GLOVES



Sizes XL

GL-HEARELST RED HEAT STD GLOVES



Sizes XL

GL-HEARELSU RED HEAT SUP GLOVES



Sizes XL

GL-RIGCAWR LEATHER RIGGER CANDY-STRIPED GLOVES



Sizes XL

AC-SPCH-ANKLE CHROME LEATHER ANKLE SPATS



AC-SPCH-KNEE CHROME LEATHER KNEE SPATS



LEATHER PRODUCTS

REBEL SAFETY GEAR

AC-APCH-120M CHROME LEATHER APRON W/ METAL BUCKLES (120 CM)



Sizes 60 cm × 120 cm

AC-APCH-120P CHROME LEATHER APRON W/ PLASTIC BUCKLES (120 CM)



Sizes 60 cm × 120 cm

AC-APCH-90M CHROME LEATHER APRON W/ METAL BUCKLES (90 CM)



Sizes 60 cm × 90 cm

AC-APCH-90P CHROME LEATHER APRON W/ PLASTIC BUCKLES (90 CM)



Sizes 60 cm × 90 cm

AC-KIEL KIDNEY BELT



Sizes S-2XL



REBEL
SAFETY GEAR

WW-JKTREGM TECH GEAR JACKET GUN METAL



Sizes S-3XL

WW-TRREGM MEN'S TECH GEAR TROUSERS GUN METAL



Sizes 28-48

WW-TRREGM-LAD LADIES TECH GEAR TROUSERS GUN METAL



Sizes 26-46

WW-SHREGM MEN'S TECH GEAR SHORTS GUN METAL



Sizes 28-48

WW-JKTREDD TECH GEAR JACKET DESERT DUST



Sizes S-3XL

WW-TRREDD-LAD LADIES TECH GEAR TROUSERS DESERT DUST



Sizes 26-46

WW-TRREDD MEN'S TECH GEAR TROUSERS DESERT DUST



Sizes 28-48

WW-SHREDD MEN'S TECH GEAR SHORTS DESERT DUST



Sizes 28-48

WW-JKTREBK TECH GEAR JACKET RAVEN BLACK



Sizes S-3XL

WW-TRREBK MEN'S TECH GEAR TROUSERS RAVEN BLACK



Sizes 28-48

WW-TRREBK-LAD LADIES TECH GEAR TROUSERS RAVEN BLACK



Sizes 26-46

WW-TRREBKPRO MEN'S TECH GEAR TROUSERS RAVEN BLACK PRO



Sizes 28-48

TECHNICAL APPAREL

REBEL SAFETY GEAR

WW-SHREBK MEN'S TECH GEAR SHORTS RAVEN BLACK



Sizes 28-48

WW-JKTREAB TECH GEAR ACID FLAME JACKET



Sizes S-3XL

WW-TRREAB MEN'S TECH GEAR ACID FLAME TROUSERS



Sizes 28-48

WW-TRREAB-LAD LADIES TECH GEAR ACID FLAME TROUSERS



Sizes 26-46

WW-JKTREAW TECH GEAR JACKET ARCTIC WHITE



Sizes S-3XL

WW-TRREAW MEN'S TECH GEAR TROUSERS ARCTIC WHITE



Sizes 28-48

WW-TRREHV-NGL MEN'S TECH GEAR TROUSERS NIGHTGLO LIME AND GUN METAL



Sizes 28-48

WW-TRREBGG MEN'S TECH GEAR TROUSERS BASIX



Sizes 28-48

WW-TRREBGG-LAD LADIES TECH GEAR TROUSERS BASIX



Sizes 26-46

WW-JKTTSBK TECH GEAR THERMOSHELL JACKET



Sizes S-3XL

AC-KNP-INSERT TECH GEAR KNEEPAD INSERT



TECHNICAL APPAREL

REBEL SAFETY GEAR

TECHNICAL APPAREL

WW-GS WORKWEAR GOLF SHIRT



WW-GSBRE
WW-GSNRE
WW-GSGRE

Sizes S-3XL

WW-TS WORKWEAR T-SHIRT



WW-TSWTRE
WW-TSRBRE
WW-TSORE
WW-TSNRE
WW-TSBRE

Sizes S-3XL

WW-JNDB WORKWEAR MEN'S JEANS DARK BLUE



Sizes 28-44

WW-JNMB WORKWEAR MEN'S JEANS MID BLUE



Sizes 28-44

WW-JNDB-LAD WORKWEAR LADIES JEANS DARK BLUE



Sizes 28-42

WW-JNMB-LAD WORKWEAR LADIES JEANS MID BLUE



Sizes 28-42

WORKWEAR

REBEL
SAFETY GEAR

RCAPNOLO WORKWEAR REBEL SAFETY GEAR CAP NO LOGO



RCAPNOLO-PK
RCAPNOLO-BU
RCAPNOLO-GY

Sizes 58 cm



WORKWEAR

FR-JATSPLUS THERMOSKIN PLUS FREEZER JACKET



Sizes XS-4XL

FR-JATS THERMOSKIN FREEZER JACKET



Sizes S-4XL

FR-JATSREF THERMOSKIN FREEZER JACKET W/ REFLECTIVE TAPE



Sizes S-4XL

FR-JATL THERMOSKIN LITE FREEZER JACKET



Sizes S-5XL

FR-TRTS THERMOSKIN FREEZER TROUSERS



Sizes S-4XL

FR-SUTS THERMOSKIN FREEZER SUIT



Sizes S-4XL

COLD AND RAIN PROTECTION

REBEL SAFETY GEAR

FR-JATBUNNY THERMOSKIN BUNNY JACKET



FR-JATBUNNY-LM FR-JATBUNNY-OR FR-JATBUNNY-NA

Sizes S-4XL

RA-S-RUHVRO RUBBERISED HI-VIZ REFLECTIVE ORANGE RAIN SUIT



Sizes S-4XL

RA-S-RUNA RUBBERISED NAVY RAIN SUIT



Sizes S-4XL

RA-S-RUHVRL RUBBERISED HI-VIZ REFLECTIVE LIME RAIN SUIT



Sizes S-4XL

RA-S-RURNA RUBBERISED REFLECTIVE NAVY RAIN SUIT



Sizes S-4XL

RA-S-RUYE RUBBERISED YELLOW RAIN SUIT



Sizes S-4XL

COVERALL PROTECTION

REBEL SAFETY GEAR

BUILT TO WORK

www.rebelsafetygear.com

COVERALL PROTECTION

REBEL SAFETY GEAR

AC-PGUARD5/6 PROGUARD TYPE 5/6 COVERALL



Sizes S-3XL

AC-PGUARD100 PROGUARD 100 DISPOSABLE COVERALL



Sizes S-3XL

TYV-CHF5S TYVEK 500 XPERT COVERALL



Sizes M-3XL

TYV-200 TYVEK EASYSAFE 200 COVERALL



Sizes S-3XL



COVERALL PROTECTION

REFLECTIVE WEAR

REBEL SAFETY GEAR

RE-VELIVA VALUE LIME REFLECTIVE VEST



Sizes S-3XL

RE-VEORVA VALUE ORANGE REFLECTIVE VEST



Sizes S-3XL

RE-VELI SOLID LIME REFLECTIVE VEST



Sizes S-3XL

RE-VEOR SOLID ORANGE REFLECTIVE VEST



Sizes S-3XL

RE-BILIAI-L AIRTEX LIME REFLECTIVE BIB



Sizes L (fits all)

RE-BIORAI-L AIRTEX ORANGE REFLECTIVE BIB



Sizes L (fits all)

REFLECTIVE PRODUCTS

REBEL SAFETY GEAR

RE-TASI50BA SILVER REFLECTIVE TAPE 50 MM WITH TC BACKING



RE-TALI50ST LIME/SILV REFLECTIVE TAPE 50 MM STITCHED



GL-TAOR50ST ORANGE/SILV REFLECTIVE TAPE 50 MM STITCHED



AC-BNKN BARRIER NETTING 50 M ROLL







INTERNATIONAL AND LOCAL SAFETY FOOTWEAR STANDARDS

All REBEL safety boots and shoes comply with the stringent international standards required by the most recent ISO standard for safety footwear – ISO 20345:2021. The South African Bureau of Standards (SABS) adopted the latest ISO standard in 2023, and so the new SANS 20345:2023 standard is exactly the same. The NRCS (National Regulator for Compulsory Standards) is the government body tasked with ensuring that all safety footwear sold in South Africa is compliant with SANS 20345:2023.

ISO 20345 markings – main classifications

Safety footwear is classified into the following main categories, which can be identified on the tongue label of the safety footwear:

CLASSIFICATION AND MARKING	ATTRIBUTES OF THE SAFETY FOOTWEAR
SB	▪ The safety footwear has a toe-cap that can withstand impact and compression of 200J. ▪ The sole of the shoe/boot has passed the slip resistance requirement for NaLS (Sodium Lauryl Sulphate – essentially a soapy solution) on a ceramic surface.
S1	As for SB, but also includes: ▪ Closed heel region. ▪ Energy absorption of seat region. ▪ Anti-static properties.
S1P (metal insert) **S1PL** (non-metallic insert tested with large nail – 4.5 mm diameter) **S1PS** (non-metallic insert tested with small nail – 3.0 mm diameter)	As for S2, but also includes: ▪ Anti-perforation insert according to the specified type. ▪ Cleated outsole.
S2	As for S1, but also includes: ▪ Water-resistant upper.
S3 (metal insert) **S3PL** (non-metallic insert tested with large nail – 4.5 mm diameter) **S3PS** (non-metallic insert tested with small nail – 3.0 mm diameter)	As for S2, but also includes: ▪ Anti-perforation insert according to the specified type. ▪ Cleated outsole.

ISO 20345 markings – additional attributes

Added protection can be built into the safety footwear and it will be marked on the tongue label as follows:

CLASSIFICATION	ATTRIBUTES OF THE SAFETY FOOTWEAR
P	Perforation resistance provided by a metal insert built into the sole
PL	Perforation resistance provided by a non-metal insert built into the sole (4.5 mm nail)
PS	Perforation resistance provided by a non-metal insert built into the sole (3.0 mm nail – a stricter standard)
C A	Electrical properties – partially conductive Electrical properties – antistatic footwear
HI CI	Resistance to inimical (hostile) environments – heat insulation of outsole Resistance to inimical (hostile) environments – cold insulation of outsole
E	Energy absorption of seat region
WR	Water-resistant shoe (the entire shoe is water-resistant due to a waterproof sock built into the shoe)
WPA	Water penetration and absorption (only the upper of the shoe is resistant to water penetration and resistance due to leather being treated to comply to the S2 classification)
M	Metatarsal protection
AN	Ankle protection
CR	Cut resistance
SC	Scuff cap abrasion
SR	Slip resistance—Glycerine on a ceramic surface (note that slip resistance—NaLS on a ceramic floor is compulsory)
HRO	Outsole is resistant to hot contact
FO	Outsole is resistant to fuel and oil
LG	Ladder grip is incorporated into the outsole design

Please refer to the tongue label to identify the specific safety and protection properties built into your pair of REBEL boots or shoes. It is important that the specific style and size of boot or shoes selected for use meets the requirements for your environment and application in which it will be used.

When the environment is not known, it is important to consult with your safety specialist to ensure, where possible, that the correct safety footwear has been provided.

SAFETY FOOTWEAR

REBEL SAFETY GEAR

CARE GUIDELINES

REBEL safety footwear has been designed and manufactured to be worn in most industrial areas, although extreme temperatures, environments and conditions will shorten the safety footwear's lifespan.

It is important to take time to care for your safety footwear. Proper care will add to the lifespan of your safety footwear, it should ensure that the maximum comfort level is maintained for longer, and that hygienically, your shoes or boots do not contribute to health problems.

Safety footwear care tips:

- Avoid scuffing the upper leather or treading on sharp edges that could cut or tear the sole.
- Clean your shoes regularly.
- Remove excess mud and dirt and wipe clean with a damp cloth and allow drying thoroughly, preferably overnight at room temperature.
- Soles should be checked regularly and stones and metal shavings removed from the cleats.
- Never force dry your shoes or boots if they become wet, as direct heat may distort the upper and cause the leather to crack.
- If your safety footwear has a leather upper apply a good quality wax polish or shoe cream regularly with a shoe brush.
- If your safety footwear has a Nubuck or suede upper, use a protectant spray to create a barrier against dirt, water and stains. For mild stains, rub the safety footwear with a stiff bristled brush or an eraser. For stubborn stains, use suede cleaner available from most safety footwear outlets, or a mild soap solution with a damp cloth.
- Never immerse your shoes in water, or wash in a washing machine.
- If the laces become worn, replace immediately to ensure a good fit.

Lifespan of safety footwear

There is no set guide for how long your footwear There is no set guide for how long your safety footwear will last. It depends on the environment in which it has been used and stored.

Storing safety footwear and the risk of hydrolysis

Most safety footwear (including REBEL) soles are made from polyurethane (PU). Polyurethane (PU) has the right mix of abrasion resistance, lightweight properties, shock absorption and cost effectiveness. However, polyurethane (PU) is a chemical compound which can degrade over time if it is not used regularly, or if it is stored in a dark and/or humid environment without regular use. If your boots have sat unused for a long period of time (approx. three years) and then you start using them again, there is a high risk that the sole may disintegrate, this is known as hydrolysis. We cannot be held responsible for this disintegration if it results from long periods of storage.

Water damage

Most safety footwear is made from leather. Leather is NOT waterproof, or water-resistant, unless it has been specifically treated. If your boots are repeatedly exposed to water and mud, and they are not listed as water-resistant, they will eventually crack. We will view this as improper use, and will not replace any shoes which have become damaged as a result. If you polish your boots regularly, then the polish will protect against occasional—NOT regular—water exposure.



TRADITIONAL RANGE

REBEL SAFETY GEAR

TRADITIONAL RANGE

REBEL SAFETY GEAR

RE811
CHUKKA BOOT
S1 FO SR



Sizes 2-16



RE811BR
CHUKKA BOOT
S1 FO SR



Sizes 2-15



RE380
CHUKKA SHOE
S1 FO SR



Sizes 2-14



RE480BK
ANVIL CHELSEA BOOT
S1 FO SR



Sizes 3-13



RE480BR
ANVIL CHELSEA BOOT
S1 FO SR



Sizes 3-13



RE128
KONTRAKTA BOOT
SB FO SR



Sizes 3-14



RE128-S
KONTRAKTA SHOE
SB FO SR



Sizes 3-13



RE128-CB
KONTRAKTA CHELSEA BOOT
SB FO SR



Sizes 2-13



FX2-S1P
FX2 SAFETY BOOT
S1P FO SR



Sizes 2-14



TRADITIONAL RANGE

REBEL SAFETY GEAR

FX2-S

FX2 SAFETY SHOE

S1 FO SR



Sizes 2-13

FX2-CB-S1P

FX2 CHELSEA BOOT

S1P FO SR



Sizes 3-13

FX2-CB-BR

FX2 CHELSEA BOOT

S1P FO SR



Sizes 3-13

RE304BKV2

HIKER HI BOOT

S1 FO SR



Sizes 3-14

RE304V2

HIKER HI BOOT

S1 FO SR



Sizes 2-14

RE303BKV2

HIKER LO SHOE

S1 FO SR



Sizes 2-13

RE508BK/NST

WORKPRO SHOE



Sizes 2-12

PREMIUM RANGE

REBEL SAFETY GEAR



BUILT TO WORK

www.rebelsafetygear.com

RE942
MEN'S LIGHT INDUSTRIAL
S1 FO SR ESD



Sizes 5-13

RE942V2
UNISEX LIGHT INDUSTRIAL V 2.0
S1 FO SR ESD



Sizes 2-13

RE942V2GBK
MEN'S LIGHT INDUSTRIAL V 2.0
S1 FO SR ESD



Sizes 5-13

RE942V2SGY
MEN'S LIGHT INDUSTRIAL V 2.0
S1 FO SR ESD



Sizes 5-13

RE0808
ENDURO-MAX SHOE
S1 HRO SR ESD



Sizes 4-13

RE424BK
EXPEDITION HI BOOT
S3 WR HRO FO SR



Sizes 4-13

RE424BR
EXPEDITION HI BOOT
S3 WR HRO FO SR



Sizes 4-13

RE425BK
EXPEDITION LO SHOE
S3 WR HRO FO SR



Sizes 3-13

RE203BK
CLASSIC WORK SHOE
S1 SR



Sizes 4-13

PREMIUM RANGE

REBEL SAFETY GEAR

RE652TA
CRAZY HORSE TAN BOOT
S1P HRO FO SR



Sizes 4-13

RE652BK
CRAZY HORSE BLACK BOOT
S1P HRO FO SR



Sizes 4-13

RE652BR
CRAZY HORSE BROWN BOOT
S1P HRO FO SR



Sizes 2-14

RE651BK
HAVOC BLACK BOOT
S1P HRO FO SR



Sizes 4-13

RE651BR
HAVOC BROWN BOOT
S1 HRO FO SR



Sizes 4-13

RE420BR
HI TOP BROWN BOOT
S1 FO SR



Sizes 4-13

RE420BK
HI TOP BLACK BOOT
S1 FO SR



Sizes 4-13

RE429CH
LO TOP SAFETY SHOE
S1 FO SR ESD



Sizes 4-13

RE429BK
LO TOP BLACK SAFETY SHOE
S1 FO SR



Sizes 4-13

FX2-MT-S1P

FX2 METATARSAL BOOT

S1P M FO SR



Sizes 3-13

RE811-S3

S3 CHUKKA BOOT

S3 FO SR



Sizes 3-13

RE811-HRO

HRO CHUKKA BOOT

S1 HRO FO SR



Sizes 3-12

GL0830-S1PS

NON-METALLIC BOOT

S1 PS FO SR



Sizes 3-13

RE6S5072BK

THERMOTRAK HI BOOT

S1 HRO FO SR



Sizes 4-14

RE5174

JIGGA BOOT

SBPS WPA HRO FO SR



Sizes 3-13

RE210

CHEMITRAK S3 BOOT

S3 WR HRO FO SR



Sizes 4-13

GL068GY

HYGIENE BOOT

S3PS HRO FO SR



Sizes 3-13

RE436BK

APEX BOOT

S3PS HRO FO SR



Sizes 3-13

SPECIALISED RANGE

REBEL SAFETY GEAR

RE912

RIGGER BOOT

S3PS HRO FO SR



Sizes 4-13

RE954

MINER BOOT

S3 M HRO FO SR



Sizes 4-14

RE911

BLACK HAWK S3 BOOT

S3 FO SR



Sizes 3-15

RE801

GLIDER SHOE

S1 FO SR



Sizes 3-13





REBEL
SAFETY GEAR

RE129
NALA BOOT
S1 FO SR



Sizes 2-8

RE940
THULI BOOT
S1 FO



Sizes 2-8

RE974
ZARI SHOE
S1 SR FO



Sizes 2-8

RE941
LIGHT INDUSTRIAL
S1 FO SR ESD



Sizes 2-8

RE941V2
LADIES LIGHT INDUSTRIAL V 2.0
S1 FO SR ESD



Sizes 2-8

RE941V2MG
LADIES LIGHT INDUSTRIAL V 2.0
S1 FO SR ESD



Sizes 2-8

RE683
KITO SHOE
S1 FO SR



Sizes 2-8

RE22107
LADIES RUGGED BOOT
S3PS HRO FO SR



Sizes 2-9

RE682
IMAN SHOE
S1 FO SR ESD



Sizes 2-8

OCCUPATIONAL FOOTWEAR

REBEL SAFETY GEAR



ANTI-SLIP
Superior anti-slip sole to minimise the risk of workplace accidents.

LIGHTWEIGHT
Super lightweight design without compromising durability.

FLUID RESISTANT
Resistant to blood, fat and detergents. Cleat pattern specially designed to eject the accumulation of any dirt, mud, and food residues.

FOOT CLIMATE
Designed to provide an optimal foot climate throughout the day.

HYGIENIC
Hygienic, anti-microbial and deodorising. They are washable, including the footbed.

POSTURE ENHANCING
Posture enhancing - resulting in reduced ankle, knee, hip and back pain, which enhances worker productivity.

CRUIZA RANGE

OCCUPATIONAL FOOTWEAR

REBEL SAFETY GEAR

RECLGPURU-BK
CHEF-PRO
O4 HRO FO SR



Sizes 2-14

RECLG-CHEF-NS-BK
CHEF-PRO
O4 HRO FO SR



Sizes 2-14

RECLG-CHEF-NS-WH
CHEF-PRO
O4 HRO FO SR



Sizes 2-14

RECLG-CHEF-NS-GY
CHEF-PRO
O4 HRO FO SR



Sizes 2-14

RECLGPUPU-BKG
MEDI-PRO
O4 FO SR



Sizes 2-14

RECLGPUPU-WH
MEDI-PRO
O4 FO SR



Sizes 2-14

RECLGPUPU-BK
WORK-PRO
O4 FO SR



Sizes 2-14

RECLGPUPU-GR
GARDN-PRO
O4 FO SR



Sizes 2-14

CRUIZA RANGE

INTERNATIONAL AND LOCAL OCCUPATIONAL STANDARDS

ISO 20347:2021 is the international standard that specifies the basic and additional requirements for occupational footwear – footwear designed for professional use where there is no need for toe protection against impact or compression (unlike safety footwear under ISO 20345).

In South Africa, ISO 20347:2021 has been adopted in its entirety and is published as SANS 20347:2023.

What ISO 20347 means for you:

- **Slip-resistant** – confident footing on wet or uneven surfaces.
- **Shock-absorbing support** – cushioned comfort that fights fatigue during long shifts.
- **Breathable comfort** – keeps feet dry and fresh all day.
- **Durable design** – built to withstand daily professional wear.

ISO 20347 certified clogs are not just shoes – they're tested occupational tools designed to keep workers safe, comfortable, and compliant. Non-certified clogs may look similar but lack the proven performance and reliability that certification guarantees.

Classification of occupational footwear

*Type I / **Type II	*Type I	*Type I	*Type I	**Type II	**Type II
OB	O1	O2	O3	O4	O5
Basic requirements for occupational footwear without toecap protection	Closed seat region, anti-static properties, energy absorption at the seat region	As O1 + water penetration and absorption of the upper	As O2 + penetration resistance and cleated outsole	Anti-static properties and energy absorption at the seat region	As O4 + penetration resistance and cleated outsole

***Type I – footwear is made from leather and other materials excluding all-rubber or all-polymeric footwear.**

**** Type II – all rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded footwear).**



OCCUPATIONAL FOOTWEAR
REBEL SAFETY GEAR

CARE GUIDELINES

REBEL Cruiza polyurethane (PU) Clogs are popular for their comfort and durability but do still require care for maintenance. Daily care and regular cleaning helps extend their life, preserve their colour and maintain hygiene.

- Use a damp soft cloth or sponge with warm water and a very mild soap like Sunlight liquid (just a few drops) or Sunlight bar soap to wipe off dirt, dust and to remove spills and grease. Always remove the footbeds before wiping and cleaning the clogs.
- Wearing of socks is a personal choice and depends on your preference, and comfort. However, we do recommend wearing socks with our Cruiza Clogs as they assist by providing a layer between the clog and your foot, easing friction and preventing blisters.
- With feet releasing moisture through sweat every day, socks assist by wicking moisture away from our feet and keep them dry.
- It is therefore good hygiene practice and advisable to remove the comfort footbed at the end of every working day from the Cruiza clog.
- This allows both the footbed and clog to air out naturally, reducing moisture and odour build-up. This helps to maintain the overall hygiene and longevity of both the footbed and your clogs.
- Footbeds should be regularly wiped down with a damp cloth and mild soap solution. Replacing your footbed rejuvenates comfort and increases longevity when needed.
- If the outsoles are soiled or muddy, tap them together to loosen and knock off dry dirt, mud or debris, rinse under running water and use a soft bristle brush (old toothbrush or nail brush) to remove any stubborn debris out of the tread and grooves where dirt and grease build up may occur.
- Clean the outsoles regularly to maintain slip resistance and safety grip.
- Allow to air dry naturally upside down or tilted for tread drainage.
- Do not place in front of a heater or open flame and do not place in direct sunlight to dry.

What to avoid

- Bleach, ammonia or any harsh chemicals as this will damage or yellow the polyurethane (PU).
- Solvents (acetone, turpentine etc.) – may dissolve the surface coating.
- Abrasive pads or steel wool – can scratch and wear down the material.
- Avoid placing clogs into bucket full of water to clean, and do not place into a washing machine, sterilizing (autoclaving) or tumble drying – high agitation and heat will deform and damage the clogs.

Note

This clog is made from fluid polyurethane (PU). Polyurethane (PU) is biodegradable and therefore does hydrolyse over time.

Please refer to the information on Storing Footwear and Hydrolysis, included in the safety footwear section.

OCCUPATIONAL FOOTWEAR

REBEL SAFETY GEAR

RE219BK
URBAN CHELSEA



Sizes 2-13

RE219BR
URBAN CHELSEA



Sizes 2-13

RE219RB
URBAN CHELSEA



Sizes 2-13

RE221BK
URBAN VELLIE



Sizes 2-13

RE221BR
URBAN VELLIE



Sizes 2-13

SAFETY FOOTWEAR ACCESSORIES

REBEL SAFETY GEAR

REOVS
OVERSHOE



Sizes 2-13+

REBFB01
STANDARD FOOTBED



Sizes 3-13

REBFB02
PLATINUM FOOTBED



Sizes 2-14

REBFB03
URBAN RETRO FOOTBED



Sizes 7-13

REBFB04
CRUIZA COMFORT FOOTBED



Sizes 3-12

SOCKSGY-S/L
REBEL SOCKS



Sizes 4-7, 8-12



URBAN RETRO RANGE

SAFETY FOOTWEAR ACCESSORIES

HS-HARFA-01 INERITA BASIC FALL ARREST HARNESS



HS-HAR2-POINT INERTIA BASIC FALL ARREST 2 POINT HARNESS



HS-DBLLAN INERTIA DOUBLE LANYARD



HS-HARFABUC INERTIA HARNESS PARKING POINT PLASTIC BUCKLE



HS-HZNLLN-20M INERTIA TEMPORARY HORIZONTAL LIFELINE 20 M



HS-RETDEV-6M INERTIA SELF RETRACTING DEVICE 6 M



HEIGHT SAFETY

REBEL SAFETY GEAR

HS-HARBAG-BLK INERTIA WORK AT HEIGHT UTILITY BAG





HEIGHT SAFETY

MAY 2026

REBEL SAFETY FOOTWEAR TECHNICAL ICONS


200 Joules Steel Toe Cap


Slip-resistant


Chemical-resistant


Water-resistant


Anti-penetration


Reflective Tape


Metatarsal Protection


Heat-resistant up to 300°C


Shock-absorbent


Genuine Leather


Microfiber


Flex-Mesh



No Steel Toe Cap


Oil-resistant


HACCP approved


Cold-resistant


Welding


Non-metallic


Arc Flash


Electrostatic Discharge


Anti-static


Medical


Female


Zip

REBEL PREMIUM GLOVES TECHNICAL ICONS


Cut-resistant


Water-resistant


Reinforced Finger Saddle


Touch Screen Compatible


Dexterity


Grip


Comfort and Fit



Gauge 13 g



Gauge 15 g


Durability Abrasion-resistant



Latex



Nitrile